

[Skip navigation](#)

- 
- 
- 

- [News](#)
- [Downloads](#)
- [Career](#)
- [Contact](#)

-

- [Filter Units](#)
 - [Pocket filter](#)
 - [INFA-JET AJN](#)
 - [Cartridge filter](#)
 - [Cartridge filter INFA-JETRON IPF](#)
 - [INFA-MINI-JET AJM](#)
 - [INFA-VARIO-JET AJV](#)
 - [Bag filter](#)
 - [INFA-VARIO-JET AJV](#)
 - [INFA-MINI-JET AJM](#)
 - [Pleated element filter](#)
 - [INFA-LAMELLEN-JET AJL](#)
 - [INFA-LAMELLEN-JET AJL Duo](#)
 - [HEPA filter](#)
 - [INFA-MICRON MKR](#)
 - [INFA-MICRON MPR](#)
 - [Shaking filter](#)
 - [INFA-MAT AM](#)
 - [INFA-BOY IFB](#)
 - [Top filter](#)
 - [Infa-Mat AM204](#)
 - [Infa-Vario-Jet IPV](#)
 - [Top filter INFA-JETRON AJP ..2](#)
 - [Silo filter INFA-JETRON AJB](#)
 - [Silo filter INFA-JETRON AJP](#)
 - [Special applications](#)
 - [INFA-INLINE-FILTER INF](#)
 - [Dust-contolled bag dumping](#)
- [Solutions](#)
 - [Industries](#)
 - [Stones, soils, minerals](#)
 - [Cement, lime, gypsum](#)
 - [Steel, iron, NF metals](#)

- [Food products](#)
- [Chemistry, pharmaceutical industry](#)
- [Energy](#)
- [Recycling, disposal](#)
- [Glass, ceramic industry](#)
- [Paints, lacquers, surfaces](#)
- [Plastics](#)
- [Applications](#)
 - [Dedusting tablet production](#)
 - [Dedusting sack emptying](#)
 - [Dedusting conveyors](#)
 - [Dedusting waste recycling](#)
 - [Dedusting working places](#)
 - [Dedusting production of baby food](#)
 - [Dedusting glass production](#)
 - [Dedusting wood working](#)
 - [Dedusting mixing and filling plants](#)
 - [Dedusting radioactive residues](#)
 - [Dedusting recycling materials](#)
 - [Dedusting ship unloading](#)
 - [Silo dedusting](#)
 - [Dedusting spray drying](#)
 - [Dedusting steel production](#)
 - [Dedusting plastics](#)
- [Service](#)
 - [Service features](#)
 - [Spare parts service](#)
 - [Downloads](#)
 - [Downloads Powtech 2023](#)
- [Knowledge of dust removal](#)
 - [Encyclopaedia about dedusting](#)
 - [Dedusting](#)
 - [Planning](#)
 - [Depth filter](#)
 - [Cleanable filter](#)
 - [Filter cleaning](#)
 - [Explosion protection](#)
 - [Filter media](#)
 - [Containment](#)
 - [Legal regulations](#)
 - [Glossary](#)
 - [Bulk densities](#)
- [Company](#)
 - [About us](#)
 - [Job & Karriere](#)
 - [History](#)
 - [Videos](#)

- [Infastaub news](#)
 - [News](#)
 - [Fair dates](#)
 - [Newsletter](#)
 - [Contact](#)
 - [Infastaub GmbH](#)
 - [Infastaub worldwide](#)
 - [Contact form](#)
-
- [News](#)
 - [Downloads](#)
 - [Career](#)
 - [Contact](#)
-
- [Infastaub.de](#)
 - [Filter Units](#)
 - [Bag filter](#)
 - [INFA-VARIO-JET AJV](#)



INFA-VARIO-JET AJV

Round filter as bag filter for dedusting of bulk materials

- [Highlights](#)
- [Standard design features](#)
- [Options](#)
- [Filter types](#)

Highlights

The bag filter INFA-VARIO-JET AJV is especially suitable for dedusting pneumatic conveying processes of bulk materials. All parts in contact with the product are manufactured of stainless steel serially.

Because of the round construction, the bag filter is applicable for overpressure / low pressure up to +/- 0.5 bar. But this filter series can be used generally for all cases where a product / dust / air mixture continuously arises over a long period of time. It is also suitable for de-dusting of mechanical transporting and manufacturing processes.

Standard design features

- Basic module consisting of
 - closed filter head
 - filter bags and pneumatic cleaning unit
 - individually extensible for flexible adaptation to applications
- Space-saving compact design, e.g. compressed air reservoir is integrated within the clean gas chamber
- Filter housing and all components in contact with the product / dust are made of stainless steel 1.4301
- Housing strength up to +/- 50 mbar
- Housing strength up to +/- 0.5 bar g for pressure- or vacuum-pneumatic operation and up to 80 °C
- System can be equipped either with filter cartridges or filter bags
- Easy filter media change from the clean gas side with quick clamp fastening

Options

- Module-based supplements, e.g.
 - Filter housing
 - hopper and dust bin
 - level indicator within the dust bin

- butterfly valve
- rotary valve
- fan
- secondary filter stage
- Design for ATEX zones according to directive 2014/34/EU (ATEX)
- Electronic control unit for filter cleaning controlled by timing cycle or differential pressure. Also for additional components (fan, rotary valve, etc.)
- Control system and motors for special voltages, e.g. 500 V
- Design for hot gases up to 130 °C
- Filter media available in different qualities, e.g. according to guideline EU 1935/2005 and EU 10/2011 for food industry
- Sound absorbing kits for use in noise-sensitive environments
- Top cover of the clean gas chamber is equipped with quick lockings for a faster access to the pneumatic cleaning unit and filter media

Filter type	Filter surface[m ²]	Compressed air consumption* [Nm ³ /h]	Dimension sheet
300-490-0,5 S	0,5	7	5011
300-980-1 S	1	7	5011
500-550-1 S	1,1	7	5010
500-1100-2 S	2,2	7	5010
640-550-2 S	1,65	7	5010
640-1100-3 S	3,3	7	5010
800-550-3 S	2,5	7	5010
800-1100-5 S	5	7	5010
800-1600-7 s	7	7	5010
1100-550-5 S	5	9	5010
1100-1100-9 S	9	9	5010
1100-1600-13 S	13	9	5010

*6 bar at 10 sec. pause

dsf = pressure shock resistant

Downloads

- [Dimension sheets Infa-Vario-Jet AJV](#)
- [Information brochure](#)

[Your contact person](#)

Market place

You find the market place for used filter units [here](#).

Downloads

You find all manuals PDF files [here](#).

Trade fairs

You find all upcoming fair dates [here](#).

Newsletter

Sign up here for our [newsletter](#) and make sure to receive free tickets for our trade fairs.

Filter Units

- [Pocket filter](#)
- [Cartridge filter](#)
- [Bag filter](#)
- [Pleated element filter](#)
- [HEPA filter](#)
- [Shaking filter](#)
- [Top filter](#)
- [Special applications](#)

Solutions

- [Industries](#)
- [Dedusting tablet production](#)
- [Dedusting sack emptying](#)
- [Dedusting waste recycling](#)
- [Dedusting production of baby food](#)
- [Dedusting ship unloading](#)
- [Silo dedusting](#)
- [Dedusting steel production](#)

After-Sales

- [Service features](#)
- [Spare parts service](#)
- [News](#)

Dust Removal Knowledge

- [Encyclopaedia about dedusting](#)
- [Planning](#)
- [Cleanable filter](#)
- [Depth filter](#)
- [Explosion protection](#)
- [Filter media](#)
- [Legal regulations](#)
- [Glossary](#)

Company

- [Contact](#)
- [Legal notice](#)
- [General terms and conditions](#)

News

- [News](#)
- [Newsletter](#)

Downloads

- [Infastaub.de](#)

Contact

Infastaub GmbH

Niederstedter Weg 19
61348 Bad Homburg v.d.H.
Tel.: +49 6172 3098-0
Fax: +49 6172 3098-90

infa@infastaub.de

- [Imprint](#)
- |
- [Legal notice](#)
- |
- [Hinweisgebersystem](#)
- |
- [General terms and conditions](#)
- |
- [Site map](#)

Copyright © Infastaub GmbH