

## [Skip navigation](#)

  

- 
- 
- 

- [News](#)
- [Downloads](#)
- [Career](#)
- [Contact](#)

-

- [Filter Units](#)
  - [Pocket filter](#)
    - [INFA-JET AJN](#)
  - [Cartridge filter](#)
    - [Cartridge filter INFA-JETRON IPF](#)
    - [INFA-MINI-JET AJM](#)
    - [INFA-VARIO-JET AJV](#)
  - [Bag filter](#)
    - [INFA-VARIO-JET AJV](#)
    - [INFA-MINI-JET AJM](#)
  - [Pleated element filter](#)
    - [INFA-LAMELLEN-JET AJL](#)
    - [INFA-LAMELLEN-JET AJL Duo](#)
  - [HEPA filter](#)
    - [INFA-MICRON MKR](#)
    - [INFA-MICRON MPR](#)
  - [Shaking filter](#)
    - [INFA-MAT AM](#)
    - [INFA-BOY IFB](#)
  - [Top filter](#)
    - [Infa-Mat AM204](#)
    - [Infa-Vario-Jet IPV](#)
    - [Top filter INFA-JETRON AJP ..2](#)
    - [Silo filter INFA-JETRON AJB](#)
    - [Silo filter INFA-JETRON AJP](#)
  - [Special applications](#)
    - [INFA-INLINE-FILTER INF](#)
    - [Dust-controlled bag dumping](#)
- [Solutions](#)
  - [Industries](#)
    - [Stones, soils, minerals](#)
    - [Cement, lime, gypsum](#)
    - [Steel, iron, NF metals](#)

- [Food products](#)
  - [Chemistry, pharmaceutical industry](#)
  - [Energy](#)
  - [Recycling, disposal](#)
  - [Glass, ceramic industry](#)
  - [Paints, lacquers, surfaces](#)
  - [Plastics](#)
- [Applications](#)
  - [Dedusting tablet production](#)
  - [Dedusting sack emptying](#)
  - [Dedusting conveyors](#)
  - [Dedusting waste recycling](#)
  - [Dedusting working places](#)
  - [Dedusting production of baby food](#)
  - [Dedusting glass production](#)
  - [Dedusting wood working](#)
  - [Dedusting mixing and filling plants](#)
  - [Dedusting radioactive residues](#)
  - [Dedusting recycling materials](#)
  - [Dedusting ship unloading](#)
  - [Silo dedusting](#)
  - [Dedusting spray drying](#)
  - [Dedusting steel production](#)
  - [Dedusting plastics](#)
- [Service](#)
  - [Service features](#)
  - [Spare parts service](#)
  - [Downloads](#)
  - [Downloads Powtech 2023](#)
- [Knowledge of dust removal](#)
  - [Encyclopaedia about dedusting](#)
    - [Dedusting](#)
    - [Planning](#)
    - [Depth filter](#)
    - [Cleanable filter](#)
    - [Filter cleaning](#)
    - [Explosion protection](#)
    - [Filter media](#)
    - [Containment](#)
    - [Legal regulations](#)
  - [Glossary](#)
  - [Bulk densities](#)
- [Company](#)
  - [About us](#)
    - [Job & Karriere](#)
    - [History](#)
    - [Videos](#)

- [Infastaub news](#)
  - [News](#)
  - [Fair dates](#)
  - [Newsletter](#)
- [Contact](#)
  - [Infastaub GmbH](#)
  - [Infastaub worldwide](#)
  - [Contact form](#)
- [News](#)
- [Downloads](#)
- [Career](#)
- [Contact](#)
- [Infastaub.de](#)
- [Filter Units](#)
- [Top filter](#)
- [Silo filter INFA-JETRON AJB](#)



## Silo filter INFA-JETRON AJB

**Fully automatic silo filter for dust separating of exhaust air from silos or containers filled by pneumatic pressure**

- [Highlights](#)
- [Standard design features](#)
- [Options](#)
- [Filter types](#)

## Highlights

The INFA-JETRON AJB is a fully automatic silo filter for dust separating of exhaust air from silos or containers filled by pneumatic pressure. The easy handling during assembly and maintenance, the durability and reliability as well as the low price have satisfied our clients since launch of this filter. A special design for low temperatures down to -40 °C is available as well as a version for food, where all components in contact with the product are approved according to regulation EU 1935/2004 and EU 10/2011.

## Standard design features

- Silo-top filter with pneumatic cleaning unit, filter housing made of stainless steel and hinged weather cowl
- Cartridge filter / bag filter with pneumatic jet-pulse cleaning for continuous operating
  - standard: +/- 50 mbar, up to 60 °C
- Easy exchange of filter media to the clean gas side without tools because of quick clamping device
- Well-balanced ratio between filter surface and dimensioning of housing to support maximum conveyor capacities during de-dusting of pneumatic transport processes
- Space-saving compact design, e.g. compressed air reservoir and control unit are integrated within the weather cowl
- Alternatively filter cartridges or filter bags

## Options

- Explosion protected design according to directive 2014/34/EU (ATEX)
- Electronic control unit for filter cleaning controlled by time cycle or differential pressure with lag
- All housing parts and internal parts or components in contact with the product/dust are made of stainless steel
- Hot gas design up to 80 °C
- Filter media available in different qualities (e.g. suitable for food according to regulation EU 1935/2005 and EU 10/2011)
- Sound absorbing accessories for use in noise-sensitive environments

Filter typ	Filter surface [m <sup>2</sup> ]	Compressed air consumption* [Nm <sup>3</sup> /h]	Dimension sheet
800-980-15 P	15	7	4010
800-980-22 P	22,5	7	4010
800-1400-31 P	31,5	7	4010
800-1600-7 S	7	7	4010

\*6 bar bei 10 Sek. Pause

## **Downloads**

- [Dimension sheets Infa-Jetron AJB](#)
- [Information brochure](#)
- [Typical application](#)

## **[Your contact person](#)**

## **Market place**

You find the market place for used filter units here.

## **Downloads**

You find all manuals PDF files [here](#).

## **Trade fairs**

You find all upcoming fair dates [here](#).

## **Newsletter**

Sign up here for our [newsletter](#) and make sure to receive free tickets for our trade fairs.

## **Filter Units**

- [Pocket filter](#)
- [Cartridge filter](#)
- [Bag filter](#)
- [Pleated element filter](#)
- [HEPA filter](#)
- [Shaking filter](#)
- [Top filter](#)
- [Special applications](#)

## **Solutions**

- [Industries](#)
- [Dedusting tablet production](#)

- [Dedusting sack emptying](#)
- [Dedusting waste recycling](#)
- [Dedusting production of baby food](#)
- [Dedusting ship unloading](#)
- [Silo dedusting](#)
- [Dedusting steel production](#)

## **After-Sales**

- [Service features](#)
- [Spare parts service](#)
- [News](#)

## **Dust Removal Knowledge**

- [Encyclopaedia about dedusting](#)
- [Planning](#)
- [Cleanable filter](#)
- [Depth filter](#)
- [Explosion protection](#)
- [Filter media](#)
- [Legal regulations](#)
- [Glossary](#)

## **Company**

- [Contact](#)
- [Legal notice](#)
- [General terms and conditions](#)

## **News**

- [News](#)
- [Newsletter](#)

## **Downloads**

- [Inf Staub.de](#)

## **Contact**

Infastaub GmbH

Niederstedter Weg 19  
61348 Bad Homburg v.d.H.  
Tel.: +49 6172 3098-0  
Fax: +49 6172 3098-90

infa@infastaub.de

- [Imprint](#)
- |
- [Legal notice](#)
- |
- [Hinweisgebersystem](#)
- |
- [General terms and conditions](#)
- |
- [Site map](#)

Copyright © Infastaub GmbH